M70i and M80i

Sanitary ball valves for high purity applications





Sanitary ball valves from Spirax Sarco



About sanitary ball valves

High purity applications demand the very best in system and product performance, and design. With Spirax Sarco you can be confident of receiving the best possible solution. You can trust us to meet your exact requirements, and to provide the knowledge, service and products that you can depend on.

Spirax Sarco's range of sanitary ball valves form part of a comprehensive product range for high purity applications, where system integrity, product quality and documentation are paramount.

The M70i (½" to 2") and M80i (2½" to 4") are 316L stainless steel ball valves that have been designed in accordance with ASME BPE for the pharmaceutical, bioprocessing, food and beverage, and other high purity industries, where bacteria and media deposits can put product quality at risk.

Understanding the importance of documentation within the high purity environment, we ensure that material test reports (MTR's) and certificates of compliance are available as standard.

Industries and applications

- Bioprocessing
- Pharmaceutical
- Semi-conductor
- Food and dairy
- Brewing and beverages
- Cosmetics
- Pure steam
- Clean steam
- CIP/SIP
- Clean gases
- High purity water
- Process media

The range at a glance

| Sanitary ball valve model* | Body material | Valve size | FDA and USP class VI seals | Lockable handle | Surface finish |
|-------------------------------|-------------------------|--|-------------------------------|--------------------|---|
| M70i | Forged 316L | 1/2" to 2" (21/2" to 4" available to special order) | As standard | As standard | Standard Mechanically polished to 0.5 micron Ra (20 micro-inch) Optional Electropolished to 0.375 micron Ra (15 micro-inch) |
| M80i | Investment cast 316L | 2½" to 4" | As standard | As standard | Standard Electropolished to 0.375 micron Ra (15 micro-inch) |

* Actuation note: Spirax Sarco's type BVA200 series pneumatic actuators and LSB type limit switches can be supplied fitted to the M70i and M80i where actuation is required. Contact Spirax Sarco for further details.

Key features and benefits

| | Key features | Key reasons | Key benefits | |
|----|---|--|---|--|
| | True port design | Internal diameter of valve precisely matches those of the connecting tubing eliminating potential dead spaces. | Facilitates free draining, eliminating areas where media can pool and create a potential for contamination. | |
| - | Fully traceable high integrity material | Both the M70i and M80i are manufactured from high quality 316L stainless steel with controlled low ferrite content as standard (<1% M70i and <5% M80i). | Ensures system integrity, and reduces risk of producing rouge. | |
| | | Material certification supplied as standard. | | |
| à | Designed with orbital welding in mind | Tube weld end tangent lengths in accordance with ASME BPE. | Enabling automatic orbital welding to be performed without valve disassembly. | |
| | | Material composition (including sulphur 0.005% to 0.017%) in accordance with ASME BPE. | Helping to give a consistent fully penetrated weld. | |
| ¢ | ISO 5211 mounting pads as standard | Allowing simple attachment of actuators, limit switches and extended handles. | International standard allows for simple consistent installation. | |
| で | Superior sealing | High temperature Dyneon TFM™ seats | Suitable for continuous steam service. | |
| | | and cavity fillers as standard. | Cavity filler eliminates crevice around ball, which can lead to media pooling and bacteria growth. | |
| 樹桃 | Part of a dedicated high purity product range from Spirax Sarco | The M70i and M80i are only part of a comprehensive range of products developed specifically for clean steam and other high purity applications. | Providing customers a single source option for all their clean steam and high purity needs. | |



Group companies

Africa

South Africa

Americas

Argentina Brazil Canada Mexico USA

Asia

China India Japan Korea Malaysia Singapore Taiwan Thailand

Australasia

Australia New Zealand

Europe

Austria Belgium Czech republic Denmark Finland France Germany Italy Norway Poland Portugal Russia Slovak republic Spain Sweden Switzerland UK

Sales offices

Africa

Egypt Kenya Nigeria

Americas

Colombia Venezuela

Asia

Hong Kong Indonesia Pakistan Philippines Vietnam

Europe

Austria Hungary Ireland

Middle East



Some products, services or solutions may not be available in certain markets

Distributors

Africa

Algeria Cameroon Ethiopia Ghana Ivory Coast Libya Malawi Mauritius Morocco Namibia Senegal Sudan Tanzania Tunisia Uganda Zambia Zimbabwe

Americas

Bolivia Chile Colombia Costa Rica Dominican Rep Ecuador El Salvador Guatemala Honduras Jamaica Nicaragua Panama Paraguay Peru Trinidad and Tobago Uruguay Venezuela

Asia

Bangladesh

Australasia

Fiji

Europe

Bulgaria Croatia Cyprus Estonia Greece Iceland Latvia Lithuania Malta Netherlands Romania Slovenia Turkey

Middle East

Bahrain Iran Jordan Kuwait Lebanon Oman Qatar Saudi Arabia Syria

Spirax-Sarco Limited Cheltenham UK GL53 8ER t: +44 (0)1242 521361 f: +44 (0)1242 573342 e: cleansteam@SpiraxSarco.com www.SpiraxSarco.com/cleansteam



© Copyright 2007 Spirax Sarco is a registered trademark of Spirax-Sarco Limited